



# DIAMANTEK

DOOR HANDLE FACTORY




pull handles | stainless steel, brass, wooden

# Classic


**PREMIUM (on request)**  
Brass CuZn Polished Stainless steel AISI 316 Polished Powder (ESD) Brushed RAL

**STANDARD**  
Stainless steel AISI 304 Polished Brushed




## Classic KR

| CODE      | D  | R  | R*  | B   | H  | c/c |
|-----------|----|----|-----|-----|----|-----|
| KR-250/25 | 25 | 43 | 100 | 110 | 70 | 250 |
| KR-300/25 | 25 | 43 | 150 | 210 | 70 | 300 |
| KR-320/25 | 25 | 43 | 160 | 200 | 70 | 320 |
| KR-300/32 | 32 | 56 | 150 | 205 | 82 | 300 |
| KR-350/32 | 32 | 56 | 175 | 230 | 82 | 350 |
| KR-380/32 | 32 | 56 | 190 | 240 | 82 | 380 |
| KR-400/32 | 32 | 56 | 200 | 255 | 82 | 400 |



## Classic V

| CODE     | D  | R  | B   | H  | c/c |
|----------|----|----|-----|----|-----|
| V-250/25 | 25 | 43 | 107 | 70 | 250 |
| V-300/25 | 25 | 43 | 132 | 70 | 300 |
| V-300/32 | 32 | 56 | 127 | 82 | 300 |
| V-400/32 | 32 | 56 | 177 | 82 | 400 |



## Classic W


| CODE     | D  | R  | B   | H  | c/c |
|----------|----|----|-----|----|-----|
| W-300/25 | 25 | 43 | 130 | 70 | 300 |
| W-400/32 | 32 | 56 | 165 | 82 | 400 |



See page 30 for FIXING options.


Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.

# Classic



## Classic K2


| CODE       | D  | R  | H   | c/c  |
|------------|----|----|-----|------|
| K2-250/19  | 19 | 25 | 59  | 250  |
| K2-300/19  | 19 | 25 | 59  | 300  |
| K2-400/19  | 19 | 25 | 59  | 400  |
| K2-600/19  | 19 | 25 | 59  | 600  |
| K2-250/20  | 20 | 38 | 65  | 250  |
| K2-300/20  | 20 | 38 | 65  | 300  |
| K2-400/20  | 20 | 38 | 65  | 400  |
| K2-600/20  | 20 | 38 | 65  | 600  |
| K2-800/20  | 20 | 38 | 65  | 800  |
| K2-250/25  | 25 | 43 | 70  | 250  |
| K2-300/25  | 25 | 43 | 70  | 300  |
| K2-400/25  | 25 | 43 | 70  | 400  |
| K2-600/25  | 25 | 43 | 70  | 600  |
| K2-800/25  | 25 | 43 | 70  | 800  |
| K2-1000/25 | 25 | 43 | 70  | 1000 |
| K2-1200/25 | 25 | 43 | 70  | 1200 |
| K2-400/30  | 30 | 50 | 80  | 400  |
| K2-600/30  | 30 | 50 | 80  | 600  |
| K2-800/30  | 30 | 50 | 80  | 800  |
| K2-1000/30 | 30 | 50 | 80  | 1000 |
| K2-1200/30 | 30 | 50 | 80  | 1200 |
| K2-1400/30 | 30 | 50 | 80  | 1400 |
| K2-1600/30 | 30 | 50 | 80  | 1600 |
| K2-400/32  | 32 | 56 | 82  | 400  |
| K2-600/32  | 32 | 56 | 82  | 600  |
| K2-800/32  | 32 | 56 | 82  | 800  |
| K2-1000/32 | 32 | 56 | 82  | 1000 |
| K2-1200/32 | 32 | 56 | 82  | 1200 |
| K2-1400/32 | 32 | 56 | 82  | 1400 |
| K2-1600/32 | 32 | 56 | 82  | 1600 |
| K2-400/38  | 38 | 70 | 108 | 400  |
| K2-600/38  | 38 | 70 | 108 | 600  |
| K2-800/38  | 38 | 70 | 108 | 800  |
| K2-1000/38 | 38 | 70 | 108 | 1000 |
| K2-1200/38 | 38 | 70 | 108 | 1200 |
| K2-1400/38 | 38 | 70 | 108 | 1400 |
| K2-1600/38 | 38 | 70 | 108 | 1600 |
| K2-1800/38 | 38 | 70 | 108 | 1800 |
| K2-2000/38 | 38 | 70 | 108 | 2000 |
| K2-2200/38 | 38 | 70 | 108 | 2200 |



## Classic K3

| CODE       | D  | R  | B   | H   | c/c  |
|------------|----|----|-----|-----|------|
| K3-400/25  | 25 | 43 | 86  | 70  | 400  |
| K3-600/25  | 25 | 43 | 86  | 70  | 600  |
| K3-800/25  | 25 | 43 | 86  | 70  | 800  |
| K3-1000/25 | 25 | 43 | 86  | 70  | 1000 |
| K3-1200/25 | 25 | 43 | 86  | 70  | 1200 |
| K3-400/30  | 30 | 50 | 100 | 80  | 400  |
| K3-600/30  | 30 | 50 | 100 | 80  | 600  |
| K3-800/30  | 30 | 50 | 100 | 80  | 800  |
| K3-1000/30 | 30 | 50 | 100 | 80  | 1000 |
| K3-1200/30 | 30 | 50 | 100 | 80  | 1200 |
| K3-1400/30 | 30 | 50 | 100 | 80  | 1400 |
| K3-400/32  | 32 | 56 | 112 | 82  | 400  |
| K3-600/32  | 32 | 56 | 112 | 82  | 600  |
| K3-800/32  | 32 | 56 | 112 | 82  | 800  |
| K3-1000/32 | 32 | 56 | 112 | 82  | 1000 |
| K3-1200/32 | 32 | 56 | 112 | 82  | 1200 |
| K3-1400/32 | 32 | 56 | 112 | 82  | 1400 |
| K3-600/38  | 38 | 70 | 140 | 108 | 600  |
| K3-800/38  | 38 | 70 | 140 | 108 | 800  |
| K3-1000/38 | 38 | 70 | 140 | 108 | 1000 |
| K3-1200/38 | 38 | 70 | 140 | 108 | 1200 |
| K3-1400/38 | 38 | 70 | 140 | 108 | 1400 |

Available for Left Hand or Right Hand opening doors.  
Please specify LH or RH when ordering.



## Classic K4


| CODE       | D  | R  | B   | H   | c/c  |
|------------|----|----|-----|-----|------|
| K4-250/19  | 19 | 25 | 100 | 59  | 250  |
| K4-300/19  | 19 | 25 | 100 | 59  | 300  |
| K4-400/19  | 19 | 25 | 100 | 59  | 400  |
| K4-600/19  | 19 | 25 | 100 | 59  | 600  |
| K4-250/20  | 20 | 38 | 92  | 65  | 250  |
| K4-300/20  | 20 | 38 | 92  | 65  | 300  |
| K4-400/20  | 20 | 38 | 92  | 65  | 400  |
| K4-600/20  | 20 | 38 | 92  | 65  | 600  |
| K4-800/20  | 20 | 38 | 92  | 65  | 800  |
| K4-250/25  | 25 | 43 | 86  | 70  | 250  |
| K4-300/25  | 25 | 43 | 86  | 70  | 300  |
| K4-400/25  | 25 | 43 | 86  | 70  | 400  |
| K4-600/25  | 25 | 43 | 86  | 70  | 600  |
| K4-800/25  | 25 | 43 | 86  | 70  | 800  |
| K4-1000/25 | 25 | 43 | 86  | 70  | 1000 |
| K4-1200/25 | 25 | 43 | 86  | 70  | 1200 |
| K4-400/30  | 30 | 50 | 100 | 80  | 400  |
| K4-600/30  | 30 | 50 | 100 | 80  | 600  |
| K4-800/30  | 30 | 50 | 100 | 80  | 800  |
| K4-1000/30 | 30 | 50 | 100 | 80  | 1000 |
| K4-1200/30 | 30 | 50 | 100 | 80  | 1200 |
| K4-1400/30 | 30 | 50 | 100 | 80  | 1400 |
| K4-1600/30 | 30 | 50 | 100 | 80  | 1600 |
| K4-400/32  | 32 | 56 | 112 | 82  | 400  |
| K4-600/32  | 32 | 56 | 112 | 82  | 600  |
| K4-800/32  | 32 | 56 | 112 | 82  | 800  |
| K4-1000/32 | 32 | 56 | 112 | 82  | 1000 |
| K4-1200/32 | 32 | 56 | 112 | 82  | 1200 |
| K4-1400/32 | 32 | 56 | 112 | 82  | 1400 |
| K4-1600/32 | 32 | 56 | 112 | 82  | 1600 |
| K4-600/38  | 38 | 70 | 140 | 108 | 600  |
| K4-800/38  | 38 | 70 | 140 | 108 | 800  |
| K4-1000/38 | 38 | 70 | 140 | 108 | 1000 |
| K4-1200/38 | 38 | 70 | 140 | 108 | 1200 |
| K4-1400/38 | 38 | 70 | 140 | 108 | 1400 |
| K4-1600/38 | 38 | 70 | 140 | 108 | 1600 |
| K4-1800/38 | 38 | 70 | 140 | 108 | 1800 |



# Classic Step





**Classic Step A2**



| CODE       | D  | D* | R  | H  | c/c  |
|------------|----|----|----|----|------|
| A2-400/28  | 25 | 28 | 43 | 72 | 400  |
| A2-600/28  | 25 | 28 | 43 | 72 | 600  |
| A2-800/28  | 25 | 28 | 43 | 72 | 800  |
| A2-1000/28 | 25 | 28 | 43 | 72 | 1000 |
| A2-1200/28 | 25 | 28 | 43 | 72 | 1200 |
| A2-1400/28 | 25 | 28 | 43 | 72 | 1400 |
| A2-400/35  | 32 | 35 | 56 | 84 | 400  |
| A2-600/35  | 32 | 35 | 56 | 84 | 600  |
| A2-800/35  | 32 | 35 | 56 | 84 | 800  |
| A2-1000/35 | 32 | 35 | 56 | 84 | 1000 |
| A2-1200/35 | 32 | 35 | 56 | 84 | 1200 |
| A2-1400/35 | 32 | 35 | 56 | 84 | 1400 |
| A2-1600/35 | 32 | 35 | 56 | 84 | 1600 |
| A2-1800/35 | 32 | 35 | 56 | 84 | 1800 |
| A2-2000/35 | 32 | 35 | 56 | 84 | 2000 |
| A2-2200/35 | 32 | 35 | 56 | 84 | 2200 |



**Classic Step A3**

| CODE       | D  | D* | R  | B   | H  | c/c  |
|------------|----|----|----|-----|----|------|
| A3-400/28  | 25 | 28 | 43 | 86  | 72 | 400  |
| A3-600/28  | 25 | 28 | 43 | 86  | 72 | 600  |
| A3-800/28  | 25 | 28 | 43 | 86  | 72 | 800  |
| A3-1000/28 | 25 | 28 | 43 | 86  | 72 | 1000 |
| A3-1200/28 | 25 | 28 | 43 | 86  | 72 | 1200 |
| A3-1400/28 | 25 | 28 | 43 | 86  | 72 | 1400 |
| A3-400/35  | 32 | 35 | 56 | 112 | 84 | 400  |
| A3-600/35  | 32 | 35 | 56 | 112 | 84 | 600  |
| A3-800/35  | 32 | 35 | 56 | 112 | 84 | 800  |
| A3-1000/35 | 32 | 35 | 56 | 112 | 84 | 1000 |
| A3-1200/35 | 32 | 35 | 56 | 112 | 84 | 1200 |
| A3-1400/35 | 32 | 35 | 56 | 112 | 84 | 1400 |

Available for Left Hand or Right Hand opening doors.  
Please specify LH or RH when ordering.

**Classic Step A4**

| CODE       | D  | D* | R  | B   | H  | c/c  |
|------------|----|----|----|-----|----|------|
| A4-400/28  | 25 | 28 | 43 | 86  | 72 | 400  |
| A4-600/28  | 25 | 28 | 43 | 86  | 72 | 600  |
| A4-800/28  | 25 | 28 | 43 | 86  | 72 | 800  |
| A4-1000/28 | 25 | 28 | 43 | 86  | 72 | 1000 |
| A4-1200/28 | 25 | 28 | 43 | 86  | 72 | 1200 |
| A4-1400/28 | 25 | 28 | 43 | 86  | 72 | 1400 |
| A4-400/35  | 32 | 35 | 56 | 112 | 84 | 400  |
| A4-600/35  | 32 | 35 | 56 | 112 | 84 | 600  |
| A4-800/35  | 32 | 35 | 56 | 112 | 84 | 800  |
| A4-1000/35 | 32 | 35 | 56 | 112 | 84 | 1000 |
| A4-1200/35 | 32 | 35 | 56 | 112 | 84 | 1200 |
| A4-1400/35 | 32 | 35 | 56 | 112 | 84 | 1400 |
| A4-1600/35 | 32 | 35 | 56 | 112 | 84 | 1600 |
| A4-1800/35 | 32 | 35 | 56 | 112 | 84 | 1800 |
| A4-2000/35 | 32 | 35 | 56 | 112 | 84 | 2000 |
| A4-2200/35 | 32 | 35 | 56 | 112 | 84 | 2200 |




See page 30 for FIXING options.

Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.


Orders are possible with custom c/c mm specification.

# Classic Oak



## Classic Oak PK2


| CODE        | D  | R  | H   | c/c  |
|-------------|----|----|-----|------|
| PK2-600/32  | 32 | 56 | 82  | 600  |
| PK2-800/32  | 32 | 56 | 82  | 800  |
| PK2-1000/32 | 32 | 56 | 82  | 1000 |
| PK2-800/38  | 38 | 70 | 108 | 800  |
| PK2-1000/38 | 38 | 70 | 108 | 1000 |
| PK2-1200/38 | 38 | 70 | 108 | 1200 |
| PK2-1400/38 | 38 | 70 | 108 | 1400 |



## Classic Oak PK3

| CODE        | D  | R  | B   | H   | c/c  |
|-------------|----|----|-----|-----|------|
| PK3-600/32  | 32 | 56 | 112 | 82  | 600  |
| PK3-800/32  | 32 | 56 | 112 | 82  | 800  |
| PK3-1000/32 | 32 | 56 | 112 | 82  | 1000 |
| PK3-800/38  | 38 | 70 | 140 | 108 | 800  |
| PK3-1000/38 | 38 | 70 | 140 | 108 | 1000 |
| PK3-1200/38 | 38 | 70 | 140 | 108 | 1200 |
| PK3-1400/38 | 38 | 70 | 140 | 108 | 1400 |

Available for Left Hand or Right Hand opening doors.  
Please specify LH or RH when ordering.



## Classic Oak PK4

| CODE        | D  | R  | B   | H   | c/c  |
|-------------|----|----|-----|-----|------|
| PK4-600/32  | 32 | 56 | 112 | 82  | 600  |
| PK4-800/32  | 32 | 56 | 112 | 82  | 800  |
| PK4-1000/32 | 32 | 56 | 112 | 82  | 1000 |
| PK4-800/38  | 38 | 70 | 140 | 108 | 800  |
| PK4-1000/38 | 38 | 70 | 140 | 108 | 1000 |
| PK4-1200/38 | 38 | 70 | 140 | 108 | 1200 |
| PK4-1400/38 | 38 | 70 | 140 | 108 | 1400 |

**PREMIUM (on request)**

|          |          |            |                          |              |
|----------|----------|------------|--------------------------|--------------|
| Oak wood | Oak wood | Brass CuZn | Stainless steel AISI 316 | Powder (ESD) |
|          |          |            |                          |              |
| Brown    | Black    | Polished   | Polished                 | Brushed      |

RAL

**STANDARD**

|          |                          |
|----------|--------------------------|
| Oak wood | Stainless steel AISI 304 |
|          |                          |
| Natural  | Polished                 |

Brushed



Orders are possible with custom c/c mm specification.

See page 30 for FIXING options.



Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.

# Elegance



## Elegance K2K



| CODE        | D  | H  | c/c  |
|-------------|----|----|------|
| K2K-250/19  | 19 | 59 | 250  |
| K2K-300/19  | 19 | 59 | 300  |
| K2K-400/19  | 19 | 59 | 400  |
| K2K-600/19  | 19 | 59 | 600  |
| K2K-250/20  | 20 | 60 | 250  |
| K2K-300/20  | 20 | 60 | 300  |
| K2K-400/20  | 20 | 60 | 400  |
| K2K-600/20  | 20 | 60 | 600  |
| K2K-800/20  | 20 | 60 | 800  |
| K2K-250/25  | 25 | 65 | 250  |
| K2K-300/25  | 25 | 65 | 300  |
| K2K-400/25  | 25 | 65 | 400  |
| K2K-600/25  | 25 | 65 | 600  |
| K2K-800/25  | 25 | 65 | 800  |
| K2K-1000/25 | 25 | 65 | 1000 |
| K2K-1200/25 | 25 | 65 | 1200 |
| K2K-400/30  | 30 | 70 | 400  |
| K2K-600/30  | 30 | 70 | 600  |
| K2K-800/30  | 30 | 70 | 800  |
| K2K-1000/30 | 30 | 70 | 1000 |
| K2K-1200/30 | 30 | 70 | 1200 |
| K2K-1400/30 | 30 | 70 | 1400 |
| K2K-1600/30 | 30 | 70 | 1600 |
| K2K-1800/30 | 30 | 70 | 1800 |
| K2K-2000/30 | 30 | 70 | 2000 |
| K2K-400/32  | 32 | 72 | 400  |
| K2K-600/32  | 32 | 72 | 600  |
| K2K-800/32  | 32 | 72 | 800  |
| K2K-1000/32 | 32 | 72 | 1000 |
| K2K-1200/32 | 32 | 72 | 1200 |
| K2K-1400/32 | 32 | 72 | 1400 |
| K2K-1600/32 | 32 | 72 | 1600 |
| K2K-1800/32 | 32 | 72 | 1800 |
| K2K-2000/32 | 32 | 72 | 2000 |
| K2K-600/38  | 38 | 78 | 600  |
| K2K-800/38  | 38 | 78 | 800  |
| K2K-1000/38 | 38 | 78 | 1000 |
| K2K-1200/38 | 38 | 78 | 1200 |
| K2K-1400/38 | 38 | 78 | 1400 |
| K2K-1600/38 | 38 | 78 | 1600 |
| K2K-1800/38 | 38 | 78 | 1800 |
| K2K-2000/38 | 38 | 78 | 2000 |
| K2K-2200/38 | 38 | 78 | 2200 |



## Elegance K3K

| CODE        | D  | B   | H  | c/c  |
|-------------|----|-----|----|------|
| K3K-400/25  | 25 | 86  | 65 | 400  |
| K3K-600/25  | 25 | 86  | 65 | 600  |
| K3K-800/25  | 25 | 86  | 65 | 800  |
| K3K-1000/25 | 25 | 86  | 65 | 1000 |
| K3K-1200/25 | 25 | 86  | 65 | 1200 |
| K3K-400/30  | 30 | 100 | 70 | 400  |
| K3K-600/30  | 30 | 100 | 70 | 600  |
| K3K-800/30  | 30 | 100 | 70 | 800  |
| K3K-1000/30 | 30 | 100 | 70 | 1000 |
| K3K-1200/30 | 30 | 100 | 70 | 1200 |
| K3K-1400/30 | 30 | 100 | 70 | 1400 |
| K3K-400/32  | 32 | 112 | 72 | 400  |
| K3K-600/32  | 32 | 112 | 72 | 600  |
| K3K-800/32  | 32 | 112 | 72 | 800  |
| K3K-1000/32 | 32 | 112 | 72 | 1000 |
| K3K-1200/32 | 32 | 112 | 72 | 1200 |
| K3K-1400/32 | 32 | 112 | 72 | 1400 |
| K3K-400/38  | 38 | 140 | 78 | 400  |
| K3K-600/38  | 38 | 140 | 78 | 600  |
| K3K-800/38  | 38 | 140 | 78 | 800  |
| K3K-1000/38 | 38 | 140 | 78 | 1000 |
| K3K-1200/38 | 38 | 140 | 78 | 1200 |
| K3K-1400/38 | 38 | 140 | 78 | 1400 |

Available for Left Hand or Right Hand opening doors.  
Please specify LH or RH when ordering.




## Elegance K4K

| CODE        | D  | B   | H  | c/c  |
|-------------|----|-----|----|------|
| K4K-250/19  | 19 | 86  | 59 | 250  |
| K4K-300/19  | 19 | 86  | 59 | 300  |
| K4K-400/19  | 19 | 86  | 59 | 400  |
| K4K-600/19  | 19 | 86  | 59 | 600  |
| K4K-250/20  | 20 | 86  | 60 | 250  |
| K4K-300/20  | 20 | 86  | 60 | 300  |
| K4K-400/20  | 20 | 86  | 60 | 400  |
| K4K-600/20  | 20 | 86  | 60 | 600  |
| K4K-800/20  | 20 | 86  | 60 | 800  |
| K4K-250/25  | 25 | 86  | 65 | 250  |
| K4K-300/25  | 25 | 86  | 65 | 300  |
| K4K-400/25  | 25 | 86  | 65 | 400  |
| K4K-600/25  | 25 | 86  | 65 | 600  |
| K4K-800/25  | 25 | 86  | 65 | 800  |
| K4K-1000/25 | 25 | 86  | 65 | 1000 |
| K4K-1200/25 | 25 | 86  | 65 | 1200 |
| K4K-400/30  | 30 | 100 | 70 | 400  |
| K4K-600/30  | 30 | 100 | 70 | 600  |
| K4K-800/30  | 30 | 100 | 70 | 800  |
| K4K-1000/30 | 30 | 100 | 70 | 1000 |
| K4K-1200/30 | 30 | 100 | 70 | 1200 |
| K4K-1400/30 | 30 | 100 | 70 | 1400 |
| K4K-1600/30 | 30 | 100 | 70 | 1600 |
| K4K-400/32  | 32 | 112 | 72 | 400  |
| K4K-600/32  | 32 | 112 | 72 | 600  |
| K4K-800/32  | 32 | 112 | 72 | 800  |
| K4K-1000/32 | 32 | 112 | 72 | 1000 |
| K4K-1200/32 | 32 | 112 | 72 | 1200 |
| K4K-1400/32 | 32 | 112 | 72 | 1400 |
| K4K-1600/32 | 32 | 112 | 72 | 1600 |
| K4K-400/38  | 38 | 140 | 78 | 400  |
| K4K-600/38  | 38 | 140 | 78 | 600  |
| K4K-800/38  | 38 | 140 | 78 | 800  |
| K4K-1000/38 | 38 | 140 | 78 | 1000 |
| K4K-1200/38 | 38 | 140 | 78 | 1200 |
| K4K-1400/38 | 38 | 140 | 78 | 1400 |
| K4K-1600/38 | 38 | 140 | 78 | 1600 |
| K4K-1800/38 | 38 | 140 | 78 | 1800 |
| K4K-2000/38 | 38 | 140 | 78 | 2000 |
| K4K-2200/38 | 38 | 140 | 78 | 2200 |




# Elegance Oak



## Elegance Oak PK2K


| CODE         | D  | H  | c/c  |
|--------------|----|----|------|
| PK2K-600/32  | 32 | 72 | 600  |
| PK2K-800/32  | 32 | 72 | 800  |
| PK2K-1000/32 | 32 | 72 | 1000 |
| PK2K-600/38  | 38 | 78 | 600  |
| PK2K-800/38  | 38 | 78 | 800  |
| PK2K-1000/38 | 38 | 78 | 1000 |
| PK2K-1200/38 | 38 | 78 | 1200 |
| PK2K-1400/38 | 38 | 78 | 1400 |



## Elegance Oak PK3K

| CODE         | D  | B   | H  | c/c  |
|--------------|----|-----|----|------|
| PK3K-600/32  | 32 | 112 | 72 | 600  |
| PK3K-800/32  | 32 | 112 | 72 | 800  |
| PK3K-1000/32 | 32 | 112 | 72 | 1000 |
| PK3K-600/38  | 38 | 140 | 78 | 600  |
| PK3K-800/38  | 38 | 140 | 78 | 800  |
| PK3K-1000/38 | 38 | 140 | 78 | 1000 |
| PK3K-1200/38 | 38 | 140 | 78 | 1200 |
| PK3K-1400/38 | 38 | 140 | 78 | 1400 |

Available for Left Hand or Right Hand opening doors.  
Please specify LH or RH when ordering.





## Elegance Oak PK4K

| CODE         | D  | B   | H  | c/c  |
|--------------|----|-----|----|------|
| PK4K-600/32  | 32 | 112 | 72 | 600  |
| PK4K-800/32  | 32 | 112 | 72 | 800  |
| PK4K-1000/32 | 32 | 112 | 72 | 1000 |
| PK4K-600/38  | 38 | 140 | 78 | 600  |
| PK4K-800/38  | 38 | 140 | 78 | 800  |
| PK4K-1000/38 | 38 | 140 | 78 | 1000 |
| PK4K-1200/38 | 38 | 140 | 78 | 1200 |
| PK4K-1400/38 | 38 | 140 | 78 | 1400 |






# Elegance



## Elegance K2KQ


| CODE         | D     | H  | c/c  |
|--------------|-------|----|------|
| K2KQ-400/30  | 30x30 | 80 | 400  |
| K2KQ-600/30  | 30x30 | 80 | 600  |
| K2KQ-800/30  | 30x30 | 80 | 800  |
| K2KQ-1000/30 | 30x30 | 80 | 1000 |
| K2KQ-1200/30 | 30x30 | 80 | 1200 |
| K2KQ-1400/30 | 30x30 | 80 | 1400 |
| K2KQ-1600/30 | 30x30 | 80 | 1600 |
| K2KQ-1800/30 | 30x30 | 80 | 1800 |
| K2KQ-2000/30 | 30x30 | 80 | 2000 |
| K2KQ-2200/30 | 30x30 | 80 | 2200 |




## Elegance K3KQ

| CODE         | D     | B   | H  | c/c  |
|--------------|-------|-----|----|------|
| K3KQ-400/30  | 30x30 | 100 | 80 | 400  |
| K3KQ-600/30  | 30x30 | 100 | 80 | 600  |
| K3KQ-800/30  | 30x30 | 100 | 80 | 800  |
| K3KQ-1000/30 | 30x30 | 100 | 80 | 1000 |
| K3KQ-1200/30 | 30x30 | 100 | 80 | 1200 |
| K3KQ-1400/30 | 30x30 | 100 | 80 | 1400 |
| K3KQ-1600/30 | 30x30 | 100 | 80 | 1600 |

Available for Left Hand or Right Hand opening doors.  
Please specify LH or RH when ordering.




# Elegance




## Elegance K4KQ

| CODE         | D     | B   | H  | c/c  |
|--------------|-------|-----|----|------|
| K4KQ-400/30  | 30x30 | 100 | 80 | 400  |
| K4KQ-600/30  | 30x30 | 100 | 80 | 600  |
| K4KQ-800/30  | 30x30 | 100 | 80 | 800  |
| K4KQ-1000/30 | 30x30 | 100 | 80 | 1000 |
| K4KQ-1200/30 | 30x30 | 100 | 80 | 1200 |
| K4KQ-1400/30 | 30x30 | 100 | 80 | 1400 |
| K4KQ-1600/30 | 30x30 | 100 | 80 | 1600 |
| K4KQ-1800/30 | 30x30 | 100 | 80 | 1800 |
| K4KQ-2000/30 | 30x30 | 100 | 80 | 2000 |
| K4KQ-2200/30 | 30x30 | 100 | 80 | 2200 |






# Metropol




## Metropol SQ

| CODE       | D     | D*    | H  | c/c  | TL   |
|------------|-------|-------|----|------|------|
| SQ-400/30  | 30x30 | 25x25 | 80 | 400  | 600  |
| SQ-600/30  | 30x30 | 25x25 | 80 | 600  | 800  |
| SQ-800/30  | 30x30 | 25x25 | 80 | 800  | 1000 |
| SQ-1000/30 | 30x30 | 25x25 | 80 | 1000 | 1200 |
| SQ-1200/30 | 30x30 | 25x25 | 80 | 1200 | 1400 |
| SQ-1400/30 | 30x30 | 25x25 | 80 | 1400 | 1600 |
| SQ-1600/30 | 30x30 | 25x25 | 80 | 1600 | 1800 |



## Metropol SQ3

| CODE        | D     | D*    | H  | c/c  | TL   |
|-------------|-------|-------|----|------|------|
| SQ3-1000/30 | 30x30 | 25x25 | 80 | 1000 | 1200 |
| SQ3-1200/30 | 30x30 | 25x25 | 80 | 1200 | 1400 |
| SQ3-1400/30 | 30x30 | 25x25 | 80 | 1400 | 1600 |
| SQ3-1600/30 | 30x30 | 25x25 | 80 | 1600 | 1800 |
| SQ3-1800/30 | 30x30 | 25x25 | 80 | 1800 | 2000 |
| SQ3-2000/30 | 30x30 | 25x25 | 80 | 2000 | 2200 |
| SQ3-2200/30 | 30x30 | 25x25 | 80 | 2200 | 2400 |




## Metropol SQ4

| CODE        | D     | D*    | H  | c/c  | TL   |
|-------------|-------|-------|----|------|------|
| SQ4-1600/30 | 30x30 | 25x25 | 80 | 1600 | 1800 |
| SQ4-1800/30 | 30x30 | 25x25 | 80 | 1800 | 2000 |
| SQ4-2000/30 | 30x30 | 25x25 | 80 | 2000 | 2200 |
| SQ4-2200/30 | 30x30 | 25x25 | 80 | 2200 | 2400 |
| SQ4-2400/30 | 30x30 | 25x25 | 80 | 2400 | 2600 |

# Metropol


**PREMIUM (on request)**  
Brass CuZn Stainless steel AISI 316 Powder (ESD)  
Polished Polished Brushed RAL

**STANDARD**  
Stainless steel AISI 304  
Polished Brushed




## Metropol SO

| CODE       | D  | D* | H  | c/c  | TL   |
|------------|----|----|----|------|------|
| SO-250/19  | 19 | 16 | 69 | 250  | 350  |
| SO-300/19  | 19 | 16 | 69 | 300  | 400  |
| SO-400/19  | 19 | 16 | 69 | 400  | 600  |
| SO-600/19  | 19 | 16 | 69 | 600  | 800  |
| SO-250/20  | 20 | 20 | 70 | 250  | 350  |
| SO-300/20  | 20 | 20 | 70 | 300  | 400  |
| SO-400/20  | 20 | 20 | 70 | 400  | 600  |
| SO-600/20  | 20 | 20 | 70 | 600  | 800  |
| SO-800/20  | 20 | 20 | 70 | 800  | 1000 |
| SO-300/25  | 25 | 20 | 75 | 300  | 400  |
| SO-400/25  | 25 | 20 | 75 | 400  | 600  |
| SO-600/25  | 25 | 20 | 75 | 600  | 800  |
| SO-800/25  | 25 | 20 | 75 | 800  | 1000 |
| SO-1000/25 | 25 | 20 | 75 | 1000 | 1200 |
| SO-1200/25 | 25 | 20 | 75 | 1200 | 1400 |
| SO-300/30  | 30 | 25 | 80 | 300  | 400  |
| SO-400/30  | 30 | 25 | 80 | 400  | 600  |
| SO-600/30  | 30 | 25 | 80 | 600  | 800  |
| SO-800/30  | 30 | 25 | 80 | 800  | 1000 |
| SO-1000/30 | 30 | 25 | 80 | 1000 | 1200 |
| SO-1200/30 | 30 | 25 | 80 | 1200 | 1400 |
| SO-1400/30 | 30 | 25 | 80 | 1400 | 1600 |
| SO-1600/30 | 30 | 25 | 80 | 1600 | 1800 |
| SO-300/32  | 32 | 25 | 82 | 300  | 400  |
| SO-400/32  | 32 | 25 | 82 | 400  | 600  |
| SO-600/32  | 32 | 25 | 82 | 600  | 800  |
| SO-800/32  | 32 | 25 | 82 | 800  | 1000 |
| SO-1000/32 | 32 | 25 | 82 | 1000 | 1200 |
| SO-1200/32 | 32 | 25 | 82 | 1200 | 1400 |
| SO-1400/32 | 32 | 25 | 82 | 1400 | 1600 |
| SO-1600/32 | 32 | 25 | 82 | 1600 | 1800 |
| SO-400/38  | 38 | 30 | 88 | 400  | 600  |
| SO-600/38  | 38 | 30 | 88 | 600  | 800  |
| SO-800/38  | 38 | 30 | 88 | 800  | 1000 |
| SO-1000/38 | 38 | 30 | 88 | 1000 | 1200 |
| SO-1200/38 | 38 | 30 | 88 | 1200 | 1400 |
| SO-1400/38 | 38 | 30 | 88 | 1400 | 1600 |
| SO-1600/38 | 38 | 30 | 88 | 1600 | 1800 |
| SO-1800/38 | 38 | 30 | 88 | 1800 | 2000 |
| SO-2000/38 | 38 | 30 | 88 | 2000 | 2200 |
| SO-2200/38 | 38 | 30 | 88 | 2200 | 2400 |



## Metropol S3

| CODE       | D  | D* | H  | c/c  | TL   |
|------------|----|----|----|------|------|
| S3-1000/20 | 20 | 20 | 70 | 1000 | 1200 |
| S3-1200/20 | 20 | 20 | 70 | 1200 | 1400 |
| S3-1400/20 | 20 | 20 | 70 | 1400 | 1600 |
| S3-1600/20 | 20 | 20 | 70 | 1600 | 1800 |
| S3-1000/25 | 25 | 20 | 75 | 1000 | 1200 |
| S3-1200/25 | 25 | 20 | 75 | 1200 | 1400 |
| S3-1400/25 | 25 | 20 | 75 | 1400 | 1600 |
| S3-1600/25 | 25 | 20 | 75 | 1600 | 1800 |
| S3-1800/25 | 25 | 20 | 75 | 1800 | 2000 |
| S3-2000/25 | 25 | 20 | 75 | 2000 | 2200 |
| S3-1000/30 | 30 | 25 | 80 | 1000 | 1200 |
| S3-1200/30 | 30 | 25 | 80 | 1200 | 1400 |
| S3-1400/30 | 30 | 25 | 80 | 1400 | 1600 |
| S3-1600/30 | 30 | 25 | 80 | 1600 | 1800 |
| S3-1800/30 | 30 | 25 | 80 | 1800 | 2000 |
| S3-2000/30 | 30 | 25 | 80 | 2000 | 2200 |
| S3-2200/30 | 30 | 25 | 80 | 2200 | 2400 |
| S3-1000/32 | 32 | 25 | 82 | 1000 | 1200 |
| S3-1200/32 | 32 | 25 | 82 | 1200 | 1400 |
| S3-1400/32 | 32 | 25 | 82 | 1400 | 1600 |
| S3-1600/32 | 32 | 25 | 82 | 1600 | 1800 |
| S3-1800/32 | 32 | 25 | 82 | 1800 | 2000 |
| S3-2000/32 | 32 | 25 | 82 | 2000 | 2200 |
| S3-2200/32 | 32 | 25 | 82 | 2200 | 2400 |
| S3-1200/38 | 38 | 30 | 88 | 1200 | 1400 |
| S3-1400/38 | 38 | 30 | 88 | 1400 | 1600 |
| S3-1600/38 | 38 | 30 | 88 | 1600 | 1800 |
| S3-1800/38 | 38 | 30 | 88 | 1800 | 2000 |
| S3-2000/38 | 38 | 30 | 88 | 2000 | 2200 |
| S3-2200/38 | 38 | 30 | 88 | 2200 | 2400 |
| S3-2400/38 | 38 | 30 | 88 | 2400 | 2600 |



## Metropol S4

| CODE       | D  | D* | H  | c/c  | TL   |
|------------|----|----|----|------|------|
| S4-1200/20 | 20 | 20 | 70 | 1200 | 1400 |
| S4-1400/20 | 20 | 20 | 70 | 1400 | 1600 |
| S4-1600/20 | 20 | 20 | 70 | 1600 | 1800 |
| S4-1800/20 | 20 | 20 | 70 | 1800 | 2000 |
| S4-2000/20 | 20 | 20 | 70 | 2000 | 2200 |
| S4-2200/20 | 20 | 20 | 70 | 2200 | 2400 |
| S4-1400/25 | 25 | 20 | 75 | 1400 | 1600 |
| S4-1600/25 | 25 | 20 | 75 | 1600 | 1800 |
| S4-1800/25 | 25 | 20 | 75 | 1800 | 2000 |
| S4-2000/25 | 25 | 20 | 75 | 2000 | 2200 |
| S4-2200/25 | 25 | 20 | 75 | 2200 | 2400 |
| S4-2400/25 | 25 | 20 | 75 | 2400 | 2600 |
| S4-1600/30 | 30 | 25 | 80 | 1600 | 1800 |
| S4-1800/30 | 30 | 25 | 80 | 1800 | 2000 |
| S4-2000/30 | 30 | 25 | 80 | 2000 | 2200 |
| S4-2200/30 | 30 | 25 | 80 | 2200 | 2400 |
| S4-2400/30 | 30 | 25 | 80 | 2400 | 2600 |
| S4-1600/32 | 32 | 25 | 82 | 1600 | 1800 |
| S4-1800/32 | 32 | 25 | 82 | 1800 | 2000 |
| S4-2000/32 | 32 | 25 | 82 | 2000 | 2200 |
| S4-2200/32 | 32 | 25 | 82 | 2200 | 2400 |
| S4-2400/32 | 32 | 25 | 82 | 2400 | 2600 |
| S4-1600/38 | 38 | 30 | 88 | 1600 | 1800 |
| S4-1800/38 | 38 | 30 | 88 | 1800 | 2000 |
| S4-2000/38 | 38 | 30 | 88 | 2000 | 2200 |
| S4-2200/38 | 38 | 30 | 88 | 2200 | 2400 |
| S4-2400/38 | 38 | 30 | 88 | 2400 | 2600 |




Orders are possible with custom c/c and TL mm specification.

See page 30 for FIXING options.

Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.

# Metropol



## Metropol SK


| CODE       | D  | D* | B  | H  | c/c  | TL   |
|------------|----|----|----|----|------|------|
| SK-400/32  | 32 | 25 | 59 | 79 | 400  | 600  |
| SK-600/32  | 32 | 25 | 59 | 79 | 600  | 800  |
| SK-800/32  | 32 | 25 | 59 | 79 | 800  | 1000 |
| SK-1000/32 | 32 | 25 | 59 | 79 | 1000 | 1200 |
| SK-1200/32 | 32 | 25 | 59 | 79 | 1200 | 1400 |
| SK-1400/32 | 32 | 25 | 59 | 79 | 1400 | 1600 |
| SK-1600/32 | 32 | 25 | 59 | 79 | 1600 | 1800 |
| SK-600/38  | 38 | 32 | 77 | 85 | 600  | 800  |
| SK-800/38  | 38 | 32 | 77 | 85 | 800  | 1000 |
| SK-1000/38 | 38 | 32 | 77 | 85 | 1000 | 1200 |
| SK-1200/38 | 38 | 32 | 77 | 85 | 1200 | 1400 |
| SK-1400/38 | 38 | 32 | 77 | 85 | 1400 | 1600 |
| SK-1600/38 | 38 | 32 | 77 | 85 | 1600 | 1800 |
| SK-1800/38 | 38 | 32 | 77 | 85 | 1800 | 2000 |
| SK-2000/38 | 38 | 32 | 77 | 85 | 2000 | 2200 |
| SK-2200/38 | 38 | 32 | 77 | 85 | 2200 | 2400 |



Orders are possible with custom c/c and TL mm specification.

**PREMIUM (on request)**  
Stainless steel AISI 316 Powder (ESD)  
Polished Brushed RAL

**STANDARD**  
Stainless steel AISI 304  
Polished Brushed



## Metropol SR


| CODE       | D  | D* | R  | B  | H  | c/c  | TL   |
|------------|----|----|----|----|----|------|------|
| SR-400/32  | 32 | 25 | 43 | 59 | 79 | 400  | 600  |
| SR-600/32  | 32 | 25 | 43 | 59 | 79 | 600  | 800  |
| SR-800/32  | 32 | 25 | 43 | 59 | 79 | 800  | 1000 |
| SR-1000/32 | 32 | 25 | 43 | 59 | 79 | 1000 | 1200 |
| SR-1200/32 | 32 | 25 | 43 | 59 | 79 | 1200 | 1400 |
| SR-1400/32 | 32 | 25 | 43 | 59 | 79 | 1400 | 1600 |
| SR-1600/32 | 32 | 25 | 43 | 59 | 79 | 1600 | 1800 |
| SR-600/38  | 38 | 32 | 56 | 77 | 85 | 600  | 800  |
| SR-800/38  | 38 | 32 | 56 | 77 | 85 | 800  | 1000 |
| SR-1000/38 | 38 | 32 | 56 | 77 | 85 | 1000 | 1200 |
| SR-1200/38 | 38 | 32 | 56 | 77 | 85 | 1200 | 1400 |
| SR-1400/38 | 38 | 32 | 56 | 77 | 85 | 1400 | 1600 |
| SR-1600/38 | 38 | 32 | 56 | 77 | 85 | 1600 | 1800 |
| SR-1800/38 | 38 | 32 | 56 | 77 | 85 | 1800 | 2000 |
| SR-2000/38 | 38 | 32 | 56 | 77 | 85 | 2000 | 2200 |
| SR-2200/38 | 38 | 32 | 56 | 77 | 85 | 2200 | 2400 |



See page 30 for FIXING options.

Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.

# Metropol




## Metropol S

| CODE      | D  | D* | H   | c/c  | TL   |
|-----------|----|----|-----|------|------|
| S-250/19  | 19 | 16 | 69  | 250  | 284  |
| S-300/19  | 19 | 16 | 69  | 300  | 334  |
| S-400/19  | 19 | 16 | 69  | 400  | 434  |
| S-600/19  | 19 | 16 | 69  | 600  | 634  |
| S-250/20  | 20 | 20 | 70  | 250  | 284  |
| S-300/20  | 20 | 20 | 70  | 300  | 334  |
| S-400/20  | 20 | 20 | 70  | 400  | 434  |
| S-600/20  | 20 | 20 | 70  | 600  | 634  |
| S-800/20  | 20 | 20 | 70  | 800  | 834  |
| S-250/25  | 25 | 20 | 75  | 250  | 284  |
| S-300/25  | 25 | 20 | 75  | 300  | 334  |
| S-400/25  | 25 | 20 | 75  | 400  | 434  |
| S-600/25  | 25 | 20 | 75  | 600  | 634  |
| S-800/25  | 25 | 20 | 75  | 800  | 834  |
| S-1000/25 | 25 | 20 | 75  | 1000 | 1034 |
| S-1200/25 | 25 | 20 | 75  | 1200 | 1234 |
| S-400/30  | 30 | 25 | 80  | 400  | 434  |
| S-600/30  | 30 | 25 | 80  | 600  | 634  |
| S-800/30  | 30 | 25 | 80  | 800  | 834  |
| S-1000/30 | 30 | 25 | 80  | 1000 | 1034 |
| S-1200/30 | 30 | 25 | 80  | 1200 | 1234 |
| S-1400/30 | 30 | 25 | 80  | 1400 | 1434 |
| S-1600/30 | 30 | 25 | 80  | 1600 | 1634 |
| S-400/32  | 32 | 25 | 82  | 400  | 434  |
| S-600/32  | 32 | 25 | 82  | 600  | 634  |
| S-800/32  | 32 | 25 | 82  | 800  | 834  |
| S-1000/32 | 32 | 25 | 82  | 1000 | 1034 |
| S-1200/32 | 32 | 25 | 82  | 1200 | 1234 |
| S-1400/32 | 32 | 25 | 82  | 1400 | 1434 |
| S-1600/32 | 32 | 25 | 82  | 1600 | 1634 |
| S-400/38  | 38 | 30 | 88  | 400  | 434  |
| S-600/38  | 38 | 30 | 88  | 600  | 634  |
| S-800/38  | 38 | 30 | 88  | 800  | 834  |
| S-1000/38 | 38 | 30 | 88  | 1000 | 1034 |
| S-1200/38 | 38 | 30 | 88  | 1200 | 1234 |
| S-1400/38 | 38 | 30 | 88  | 1400 | 1434 |
| S-1600/38 | 38 | 30 | 88  | 1600 | 1634 |
| S-1800/38 | 38 | 30 | 88  | 1800 | 1834 |
| S-2000/38 | 38 | 30 | 88  | 2000 | 2034 |
| S-2200/38 | 38 | 30 | 88  | 2200 | 2234 |
| S-2000/45 | 45 | 30 | 95  | 2000 | 2034 |
| S-2200/45 | 45 | 30 | 95  | 2200 | 2234 |
| S-2400/45 | 45 | 30 | 95  | 2400 | 2434 |
| S-2600/45 | 45 | 30 | 95  | 2600 | 2634 |
| S-2800/45 | 45 | 30 | 95  | 2800 | 2834 |
| S-3000/45 | 45 | 30 | 95  | 3000 | 3034 |
| S-2400/50 | 45 | 30 | 100 | 2400 | 2434 |
| S-2600/50 | 45 | 30 | 100 | 2600 | 2634 |
| S-2800/50 | 45 | 30 | 100 | 2800 | 2834 |
| S-3000/50 | 45 | 30 | 100 | 3000 | 3034 |



PREMIUM (on request)  
Brass CuZn Stainless steel AISI 316 Powder (ESD)  
Polished Polished Brushed RAL


STANDARD  
Stainless steel AISI 304  
Polished Brushed




## Metropol Old SF

\* Brass not available

| CODE       | D  | H  | c/c  | TL   | a  | b  | c  | d  | e |
|------------|----|----|------|------|----|----|----|----|---|
| SF-2000/38 | 38 | 88 | 2000 | 2040 | 30 | 38 | 20 | 20 | 8 |
| SF-2200/38 | 38 | 88 | 2200 | 2240 | 30 | 38 | 20 | 20 | 8 |
| SF-2400/38 | 38 | 88 | 2400 | 2440 | 30 | 38 | 20 | 20 | 8 |
| SF-2000/45 | 45 | 95 | 2000 | 2040 | 30 | 45 | 20 | 25 | 8 |
| SF-2200/45 | 45 | 95 | 2200 | 2240 | 30 | 45 | 20 | 25 | 8 |
| SF-2400/45 | 45 | 95 | 2400 | 2440 | 30 | 45 | 20 | 25 | 8 |
| SF-2600/45 | 45 | 95 | 2600 | 2640 | 30 | 45 | 20 | 25 | 8 |
| SF-2800/45 | 45 | 95 | 2800 | 2840 | 30 | 45 | 20 | 25 | 8 |
| SF-3000/45 | 45 | 95 | 3000 | 3040 | 30 | 45 | 20 | 25 | 8 |







# Metropol Old




## Metropol Old SQF




## Metropol Old SFO






# Metropol Old



## Metropol Old SFOE

| CODE            | D     | H  | c/c  | TL   | a  | b  | c  | e |
|-----------------|-------|----|------|------|----|----|----|---|
| SFOE-400/20-40  | 20x40 | 90 | 400  | 440  | 30 | 28 | 20 | 8 |
| SFOE-600/20-40  | 20x40 | 90 | 600  | 640  | 30 | 28 | 20 | 8 |
| SFOE-800/20-40  | 20x40 | 90 | 800  | 840  | 30 | 28 | 20 | 8 |
| SFOE-1000/20-40 | 20x40 | 90 | 1000 | 1040 | 30 | 28 | 20 | 8 |
| SFOE-1200/20-40 | 20x40 | 90 | 1200 | 1240 | 30 | 28 | 20 | 8 |
| SFOE-1400/20-40 | 20x40 | 90 | 1400 | 1440 | 30 | 28 | 20 | 8 |
| SFOE-1600/20-40 | 20x40 | 90 | 1600 | 1640 | 30 | 28 | 20 | 8 |



## Metropol Old SFOE\*

| CODE             | D     | B  | H  | c/c  | TL   | a  | b  | c  | e |
|------------------|-------|----|----|------|------|----|----|----|---|
| SFOE*-400/20-40  | 20x40 | 64 | 90 | 400  | 440  | 30 | 37 | 20 | 8 |
| SFOE*-600/20-40  | 20x40 | 64 | 90 | 600  | 640  | 30 | 37 | 20 | 8 |
| SFOE*-800/20-40  | 20x40 | 64 | 90 | 800  | 840  | 30 | 37 | 20 | 8 |
| SFOE*-1000/20-40 | 20x40 | 64 | 90 | 1000 | 1040 | 30 | 37 | 20 | 8 |
| SFOE*-1200/20-40 | 20x40 | 64 | 90 | 1200 | 1240 | 30 | 37 | 20 | 8 |
| SFOE*-1400/20-40 | 20x40 | 64 | 90 | 1400 | 1440 | 30 | 37 | 20 | 8 |
| SFOE*-1600/20-40 | 20x40 | 64 | 90 | 1600 | 1640 | 30 | 37 | 20 | 8 |

# Metropol Oak

**PREMIUM (on request)**

|          |          |            |                          |              |
|----------|----------|------------|--------------------------|--------------|
| Oak wood | Oak wood | Brass CuZn | Stainless steel AISI 316 | Powder (ESD) |
| Brown    | Black    | Polished   | Polished                 | Brushed      |
|          |          |            |                          | RAL          |

**STANDARD**

|          |                          |
|----------|--------------------------|
| Oak wood | Stainless steel AISI 304 |
| Natural  | Polished                 |
|          | Brushed                  |

## Metropol Oak PSO


| CODE        | D  | D* | H   | c/c  | TL   |
|-------------|----|----|-----|------|------|
| PSO-400/32  | 32 | 25 | 82  | 400  | 600  |
| PSO-600/32  | 32 | 25 | 82  | 600  | 800  |
| PSO-800/32  | 32 | 25 | 82  | 800  | 1000 |
| PSO-600/38  | 38 | 30 | 88  | 600  | 800  |
| PSO-800/38  | 38 | 30 | 88  | 800  | 1000 |
| PSO-1000/38 | 38 | 30 | 88  | 1000 | 1200 |
| PSO-1200/38 | 38 | 30 | 88  | 1200 | 1400 |
| PSO-1800/50 | 50 | 30 | 100 | 1800 | 2000 |
| PSO-2000/50 | 50 | 30 | 100 | 2000 | 2200 |
| PSO-2200/50 | 50 | 30 | 100 | 2200 | 2400 |
| PSO-2400/50 | 50 | 30 | 100 | 2400 | 2600 |

## Metropol Oak PS3

| CODE        | D  | D* | H  | c/c  | TL   |
|-------------|----|----|----|------|------|
| PS3-1000/32 | 32 | 25 | 82 | 1000 | 1200 |
| PS3-1200/32 | 32 | 25 | 82 | 1200 | 1400 |
| PS3-1400/32 | 32 | 25 | 82 | 1400 | 1600 |
| PS3-1600/32 | 32 | 25 | 82 | 1600 | 1800 |
| PS3-1200/38 | 38 | 30 | 88 | 1200 | 1400 |
| PS3-1400/38 | 38 | 30 | 88 | 1400 | 1600 |
| PS3-1600/38 | 38 | 30 | 88 | 1600 | 1800 |
| PS3-1800/38 | 38 | 30 | 88 | 1800 | 2000 |
| PS3-2000/38 | 38 | 30 | 88 | 2000 | 2200 |

## Metropol Oak PS4

| CODE        | D  | D* | H  | c/c  | TL   |
|-------------|----|----|----|------|------|
| PS4-1600/32 | 32 | 25 | 82 | 1600 | 1800 |
| PS4-1800/32 | 32 | 25 | 82 | 1800 | 2000 |
| PS4-2000/32 | 32 | 25 | 82 | 2000 | 2200 |
| PS4-2200/32 | 32 | 25 | 82 | 2200 | 2400 |
| PS4-2400/32 | 32 | 25 | 82 | 2400 | 2600 |
| PS4-1800/38 | 38 | 30 | 88 | 1800 | 2000 |
| PS4-2000/38 | 38 | 30 | 88 | 2000 | 2200 |
| PS4-2200/38 | 38 | 30 | 88 | 2200 | 2400 |
| PS4-2400/38 | 38 | 30 | 88 | 2400 | 2600 |



## Metropol Oak PS

| CODE       | D  | D* | H   | c/c  | TL   |
|------------|----|----|-----|------|------|
| PS-400/32  | 32 | 25 | 82  | 400  | 434  |
| PS-600/32  | 32 | 25 | 82  | 600  | 634  |
| PS-800/32  | 32 | 25 | 82  | 800  | 834  |
| PS-600/38  | 38 | 30 | 88  | 600  | 634  |
| PS-800/38  | 38 | 30 | 88  | 800  | 834  |
| PS-1000/38 | 38 | 30 | 88  | 1000 | 1034 |
| PS-1200/38 | 38 | 30 | 88  | 1200 | 1234 |
| PS-1800/50 | 50 | 30 | 100 | 1800 | 1834 |
| PS-2000/50 | 50 | 30 | 100 | 2000 | 2034 |
| PS-2200/50 | 50 | 30 | 100 | 2200 | 2234 |
| PS-2400/50 | 50 | 30 | 100 | 2400 | 2434 |



See page 30 for FIXING options.

Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.

Orders are possible with custom c/c and TL mm specification.

# Metropol Oak

**PREMIUM (on request)**

|          |          |            |                          |              |
|----------|----------|------------|--------------------------|--------------|
| Oak wood | Oak wood | Brass CuZn | Stainless steel AISI 316 | Powder (ESD) |
| Brown    | Black    | Polished   | Polished                 | Brushed      |
|          |          |            |                          | RAL          |

**STANDARD**

|          |                          |
|----------|--------------------------|
| Oak wood | Stainless steel AISI 304 |
| Natural  | Polished                 |
|          | Brushed                  |

## Metropol Oak PO


| CODE       | D  | D* | H  | c/c  | TL   |
|------------|----|----|----|------|------|
| PO-300/32  | 32 | 25 | 82 | 300  | 400  |
| PO-400/32  | 32 | 25 | 82 | 400  | 600  |
| PO-600/32  | 32 | 25 | 82 | 600  | 800  |
| PO-400/38  | 38 | 30 | 88 | 400  | 600  |
| PO-600/38  | 38 | 30 | 88 | 600  | 800  |
| PO-800/38  | 38 | 30 | 88 | 800  | 1000 |
| PO-1000/38 | 38 | 30 | 88 | 1000 | 1200 |

## Metropol Oak P3

| CODE       | D  | D* | H  | c/c  | TL   |
|------------|----|----|----|------|------|
| P3-1000/32 | 32 | 25 | 82 | 1000 | 1200 |
| P3-1200/32 | 32 | 25 | 82 | 1200 | 1400 |
| P3-1400/32 | 32 | 25 | 82 | 1400 | 1600 |
| P3-1200/38 | 38 | 30 | 88 | 1200 | 1400 |
| P3-1400/38 | 38 | 30 | 88 | 1400 | 1600 |
| P3-1600/38 | 38 | 30 | 88 | 1600 | 1800 |
| P3-1800/38 | 38 | 30 | 88 | 1800 | 2000 |
| P3-2000/38 | 38 | 30 | 88 | 2000 | 2200 |


## Metropol Oak P4

| CODE       | D  | D* | H  | c/c  | TL   |
|------------|----|----|----|------|------|
| P4-1600/32 | 32 | 25 | 82 | 1600 | 1800 |
| P4-1800/32 | 32 | 25 | 82 | 1800 | 2000 |
| P4-2000/32 | 32 | 25 | 82 | 2000 | 2200 |
| P4-2200/32 | 32 | 25 | 82 | 2200 | 2400 |
| P4-2400/32 | 32 | 25 | 82 | 2400 | 2600 |
| P4-1800/38 | 38 | 30 | 88 | 1800 | 2000 |
| P4-2000/38 | 38 | 30 | 88 | 2000 | 2200 |
| P4-2200/38 | 38 | 30 | 88 | 2200 | 2400 |
| P4-2400/38 | 38 | 30 | 88 | 2400 | 2600 |



## Metropol Oak P

| CODE      | D  | D* | H   | c/c  | TL   |
|-----------|----|----|-----|------|------|
| P-2000/50 | 50 | 30 | 100 | 2000 | 2034 |
| P-2200/50 | 50 | 30 | 100 | 2200 | 2234 |
| P-2400/50 | 50 | 30 | 100 | 2400 | 2434 |




See page 30 for FIXING options.

Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.


Orders are possible with custom c/c and TL mm specification.

# Metropol Wooden




## Metropol Wooden PP

| CODE       | D  | D* | H  | c/c  | TL   |
|------------|----|----|----|------|------|
| PP-300/32  | 32 | 25 | 82 | 300  | 400  |
| PP-400/32  | 32 | 25 | 82 | 400  | 600  |
| PP-600/32  | 32 | 25 | 82 | 600  | 800  |
| PP-400/38  | 38 | 30 | 88 | 400  | 600  |
| PP-600/38  | 38 | 30 | 88 | 600  | 800  |
| PP-800/38  | 38 | 30 | 88 | 800  | 1000 |
| PP-1000/38 | 38 | 30 | 88 | 1000 | 1200 |




## Metropol Wooden PP3

| CODE        | D  | D* | H  | c/c  | TL   |
|-------------|----|----|----|------|------|
| PP3-1000/32 | 32 | 25 | 82 | 1000 | 1200 |
| PP3-1200/32 | 32 | 25 | 82 | 1200 | 1400 |
| PP3-1400/32 | 32 | 25 | 82 | 1400 | 1600 |
| PP3-1200/38 | 38 | 30 | 88 | 1200 | 1400 |
| PP3-1400/38 | 38 | 30 | 88 | 1400 | 1600 |
| PP3-1600/38 | 38 | 30 | 88 | 1600 | 1800 |
| PP3-1800/38 | 38 | 30 | 88 | 1800 | 2000 |
| PP3-2000/38 | 38 | 30 | 88 | 2000 | 2200 |



## Metropol Wooden PP4

| CODE        | D  | D* | H  | c/c  | TL   |
|-------------|----|----|----|------|------|
| PP4-1600/32 | 32 | 25 | 82 | 1600 | 1800 |
| PP4-1800/32 | 32 | 25 | 82 | 1800 | 2000 |
| PP4-2000/32 | 32 | 25 | 82 | 2000 | 2200 |
| PP4-2200/32 | 32 | 25 | 82 | 2200 | 2400 |
| PP4-2400/32 | 32 | 25 | 82 | 2400 | 2600 |
| PP4-1800/38 | 38 | 30 | 88 | 1800 | 2000 |
| PP4-2000/38 | 38 | 30 | 88 | 2000 | 2200 |
| PP4-2200/38 | 38 | 30 | 88 | 2200 | 2400 |
| PP4-2400/38 | 38 | 30 | 88 | 2400 | 2600 |



## Metropol Wooden fixing

This model of handle requires a 10 mm hole in the glass.






# Metropol Oak

**PREMIUM (on request)**

|          |          |                          |              |
|----------|----------|--------------------------|--------------|
| Oak wood | Oak wood | Stainless steel AISI 316 | Powder (ESD) |
| Brown    | Black    | Polished                 | Brushed      |
|          |          |                          | RAL          |

**STANDARD**

|          |                          |
|----------|--------------------------|
| Oak wood | Stainless steel AISI 304 |
| Natural  | Polished                 |
|          | Brushed                  |



Orders are possible with custom c/c and TL mm specification.

See page 30 for FIXING options.

Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.


# Metropol Oak

**PREMIUM (on request)**

|          |          |                          |              |
|----------|----------|--------------------------|--------------|
| Oak wood | Oak wood | Stainless steel AISI 316 | Powder (ESD) |
| Brown    | Black    | Polished                 | Brushed      |
|          |          |                          | RAL          |


**STANDARD**

|          |                          |
|----------|--------------------------|
| Oak wood | Stainless steel AISI 304 |
| Natural  | Polished                 |
|          | Brushed                  |




## Metropol Oak PSR

| CODE        | D  | D* | R  | B  | H   | c/c  | TL   |
|-------------|----|----|----|----|-----|------|------|
| PSR-400/32  | 32 | 25 | 43 | 59 | 79  | 400  | 600  |
| PSR-600/32  | 32 | 25 | 43 | 59 | 79  | 600  | 800  |
| PSR-800/32  | 32 | 25 | 43 | 59 | 79  | 800  | 1000 |
| PSR-600/38  | 38 | 32 | 56 | 77 | 85  | 600  | 800  |
| PSR-800/38  | 38 | 32 | 56 | 77 | 85  | 800  | 1000 |
| PSR-1000/38 | 38 | 32 | 56 | 77 | 85  | 1000 | 1200 |
| PSR-1200/38 | 38 | 32 | 56 | 77 | 85  | 1200 | 1400 |
| PSR-1800/50 | 50 | 32 | 56 | 83 | 101 | 1800 | 2000 |
| PSR-2000/50 | 50 | 32 | 56 | 83 | 101 | 2000 | 2200 |
| PSR-2200/50 | 50 | 32 | 56 | 83 | 101 | 2200 | 2400 |
| PSR-2400/50 | 50 | 32 | 56 | 83 | 101 | 2400 | 2600 |



## Metropol Oak PSR3

| CODE         | D  | D* | R  | B  | H  | c/c  | TL   |
|--------------|----|----|----|----|----|------|------|
| PSR3-1000/32 | 32 | 25 | 43 | 59 | 79 | 1000 | 1200 |
| PSR3-1200/32 | 32 | 25 | 43 | 59 | 79 | 1200 | 1400 |
| PSR3-1400/32 | 32 | 25 | 43 | 59 | 79 | 1400 | 1600 |
| PSR3-1600/32 | 32 | 25 | 43 | 59 | 79 | 1600 | 1800 |
| PSR3-1200/38 | 38 | 32 | 56 | 77 | 85 | 1200 | 1400 |
| PSR3-1400/38 | 38 | 32 | 56 | 77 | 85 | 1400 | 1600 |
| PSR3-1600/38 | 38 | 32 | 56 | 77 | 85 | 1600 | 1800 |
| PSR3-1800/38 | 38 | 32 | 56 | 77 | 85 | 1800 | 2000 |
| PSR3-2000/38 | 38 | 32 | 56 | 77 | 85 | 2000 | 2200 |



## Metropol Oak PSR4

| CODE         | D  | D* | R  | B  | H  | c/c  | TL   |
|--------------|----|----|----|----|----|------|------|
| PSR4-1600/32 | 32 | 25 | 43 | 59 | 79 | 1600 | 1800 |
| PSR4-1800/32 | 32 | 25 | 43 | 59 | 79 | 1800 | 2000 |
| PSR4-2000/32 | 32 | 25 | 43 | 59 | 79 | 2000 | 2200 |
| PSR4-2200/32 | 32 | 25 | 43 | 59 | 85 | 2200 | 2400 |
| PSR4-2400/32 | 32 | 25 | 43 | 59 | 85 | 2400 | 2600 |
| PSR4-1800/38 | 38 | 32 | 56 | 77 | 85 | 1800 | 2000 |
| PSR4-2000/38 | 38 | 32 | 56 | 77 | 85 | 2000 | 2200 |
| PSR4-2200/38 | 38 | 32 | 56 | 77 | 85 | 2200 | 2400 |
| PSR4-2400/38 | 38 | 32 | 56 | 77 | 85 | 2400 | 2600 |




See page 30 for FIXING options.

Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.


Orders are possible with custom c/c and TL mm specification.

# Stylish




## Stylish SC

| CODE       | D  | D* | B  | H  | c/c  | TL   | b  | b1 |
|------------|----|----|----|----|------|------|----|----|
| SC-400/32  | 32 | 25 | 60 | 82 | 400  | 600  | 35 | 24 |
| SC-600/32  | 32 | 25 | 60 | 82 | 600  | 800  | 35 | 24 |
| SC-800/32  | 32 | 25 | 60 | 82 | 800  | 1000 | 35 | 24 |
| SC-1000/32 | 32 | 25 | 60 | 82 | 1000 | 1200 | 35 | 24 |
| SC-1200/32 | 32 | 25 | 60 | 82 | 1200 | 1400 | 35 | 24 |
| SC-1400/32 | 32 | 25 | 60 | 82 | 1400 | 1600 | 35 | 24 |
| SC-1600/32 | 32 | 25 | 60 | 82 | 1600 | 1800 | 35 | 24 |
| SC-600/38  | 38 | 30 | 63 | 88 | 600  | 800  | 42 | 27 |
| SC-800/38  | 38 | 30 | 63 | 88 | 800  | 1000 | 42 | 27 |
| SC-1000/38 | 38 | 30 | 63 | 88 | 1000 | 1200 | 42 | 27 |
| SC-1200/38 | 38 | 30 | 63 | 88 | 1200 | 1400 | 42 | 27 |
| SC-1400/38 | 38 | 30 | 63 | 88 | 1400 | 1600 | 42 | 27 |
| SC-1600/38 | 38 | 30 | 63 | 88 | 1600 | 1800 | 42 | 27 |
| SC-1800/38 | 38 | 30 | 63 | 88 | 1800 | 2000 | 42 | 27 |
| SC-2000/38 | 38 | 30 | 63 | 88 | 2000 | 2200 | 42 | 27 |
| SC-2200/38 | 38 | 30 | 63 | 88 | 2200 | 2400 | 42 | 27 |




Stylish SC fixing




## Stylish SC3

| CODE        | D  | D* | B  | H  | c/c  | TL   | b  | b1 |
|-------------|----|----|----|----|------|------|----|----|
| SC3-1000/32 | 32 | 25 | 60 | 82 | 1000 | 1200 | 35 | 24 |
| SC3-1200/32 | 32 | 25 | 60 | 82 | 1200 | 1400 | 35 | 24 |
| SC3-1400/32 | 32 | 25 | 60 | 82 | 1400 | 1600 | 35 | 24 |
| SC3-1600/32 | 32 | 25 | 60 | 82 | 1600 | 1800 | 35 | 24 |
| SC3-1800/32 | 32 | 25 | 60 | 82 | 1800 | 2000 | 35 | 24 |
| SC3-2000/32 | 32 | 25 | 60 | 82 | 2000 | 2200 | 35 | 24 |
| SC3-1000/38 | 38 | 30 | 63 | 88 | 1000 | 1200 | 42 | 27 |
| SC3-1200/38 | 38 | 30 | 63 | 88 | 1200 | 1400 | 42 | 27 |
| SC3-1400/38 | 38 | 30 | 63 | 88 | 1400 | 1600 | 42 | 27 |
| SC3-1600/38 | 38 | 30 | 63 | 88 | 1600 | 1800 | 42 | 27 |
| SC3-1800/38 | 38 | 30 | 63 | 88 | 1800 | 2000 | 42 | 27 |
| SC3-2000/38 | 38 | 30 | 63 | 88 | 2000 | 2200 | 42 | 27 |
| SC3-2200/38 | 38 | 30 | 63 | 88 | 2200 | 2400 | 42 | 27 |
| SC3-2400/38 | 38 | 30 | 63 | 88 | 2400 | 2600 | 42 | 27 |




**PREMIUM (on request)**  
Brass CuZn Polished Stainless steel AISI 316 Polished Powder (ESD) Brushed RAL

**STANDARD**  
Stainless steel AISI 304 Polished Brushed




## Stylish SC4

| CODE        | D  | D* | B  | H  | c/c  | TL   | b  | b1 |
|-------------|----|----|----|----|------|------|----|----|
| SC4-1600/32 | 32 | 25 | 60 | 82 | 1600 | 1800 | 35 | 24 |
| SC4-1800/32 | 32 | 25 | 60 | 82 | 1800 | 2000 | 35 | 24 |
| SC4-2000/32 | 32 | 25 | 60 | 82 | 2000 | 2200 | 35 | 24 |
| SC4-2200/32 | 32 | 25 | 60 | 82 | 2200 | 2400 | 35 | 24 |
| SC4-2400/32 | 32 | 25 | 60 | 82 | 2400 | 2600 | 35 | 24 |
| SC4-1600/38 | 38 | 30 | 63 | 88 | 1600 | 1800 | 42 | 27 |
| SC4-1800/38 | 38 | 30 | 63 | 88 | 1800 | 2000 | 42 | 27 |
| SC4-2000/38 | 38 | 30 | 63 | 88 | 2000 | 2200 | 42 | 27 |
| SC4-2200/38 | 38 | 30 | 63 | 88 | 2200 | 2400 | 42 | 27 |
| SC4-2400/38 | 38 | 30 | 63 | 88 | 2400 | 2600 | 42 | 27 |




# Stylish



## Stylish SQC

| CODE        | D     | D*    | B  | H  | c/c  | TL   | b  | b1 |
|-------------|-------|-------|----|----|------|------|----|----|
| SQC-400/30  | 30x30 | 25x25 | 60 | 81 | 400  | 600  | 35 | 24 |
| SQC-600/30  | 30x30 | 25x25 | 60 | 81 | 600  | 800  | 35 | 24 |
| SQC-800/30  | 30x30 | 25x25 | 60 | 81 | 800  | 1000 | 35 | 24 |
| SQC-1000/30 | 30x30 | 25x25 | 60 | 81 | 1000 | 1200 | 35 | 24 |
| SQC-1200/30 | 30x30 | 25x25 | 60 | 81 | 1200 | 1400 | 35 | 24 |
| SQC-1400/30 | 30x30 | 25x25 | 60 | 81 | 1400 | 1600 | 35 | 24 |
| SQC-1600/30 | 30x30 | 25x25 | 60 | 81 | 1600 | 1800 | 35 | 24 |




## Stylish SQC3

| CODE         | D     | D*    | B  | H  | c/c  | TL   | b  | b1 |
|--------------|-------|-------|----|----|------|------|----|----|
| SQC3-1000/30 | 30x30 | 25x25 | 60 | 81 | 1000 | 1200 | 35 | 24 |
| SQC3-1200/30 | 30x30 | 25x25 | 60 | 81 | 1200 | 1400 | 35 | 24 |
| SQC3-1400/30 | 30x30 | 25x25 | 60 | 81 | 1400 | 1600 | 35 | 24 |
| SQC3-1600/30 | 30x30 | 25x25 | 60 | 81 | 1600 | 1800 | 35 | 24 |
| SQC3-1800/30 | 30x30 | 25x25 | 60 | 81 | 1800 | 2000 | 35 | 24 |
| SQC3-2000/30 | 30x30 | 25x25 | 60 | 81 | 2000 | 2200 | 35 | 24 |

PREMIUM (on request)  
Stainless steel AISI 316 Powder (ESD)




STANDARD  
Stainless steel AISI 304



## Stylish SQC4

| CODE         | D     | D*    | B  | H  | c/c  | TL   | b  | b1 |
|--------------|-------|-------|----|----|------|------|----|----|
| SQC4-1600/30 | 30x30 | 25x25 | 60 | 81 | 1600 | 1800 | 35 | 24 |
| SQC4-1800/30 | 30x30 | 25x25 | 60 | 81 | 1800 | 2000 | 35 | 24 |
| SQC4-2000/30 | 30x30 | 25x25 | 60 | 81 | 2000 | 2200 | 35 | 24 |
| SQC4-2200/30 | 30x30 | 25x25 | 60 | 81 | 2200 | 2400 | 35 | 24 |
| SQC4-2400/30 | 30x30 | 25x25 | 60 | 81 | 2400 | 2600 | 35 | 24 |



Stylish SQC fixing


# Stylish Oak

**PREMIUM (on request)**

|          |          |            |                          |              |
|----------|----------|------------|--------------------------|--------------|
| Oak wood | Oak wood | Brass CuZn | Stainless steel AISI 316 | Powder (ESD) |
| Brown    | Black    | Polished   | Polished                 | Brushed      |
|          |          |            |                          | RAL          |


**STANDARD**

|          |                          |
|----------|--------------------------|
| Oak wood | Stainless steel AISI 304 |
| Natural  | Polished                 |
|          | Brushed                  |




## Stylish Oak PSC

| CODE        | D  | D* | B  | H  | c/c  | TL   | b  | b1 |
|-------------|----|----|----|----|------|------|----|----|
| PSC-400/32  | 32 | 25 | 60 | 82 | 400  | 600  | 35 | 24 |
| PSC-600/32  | 32 | 25 | 60 | 82 | 600  | 800  | 35 | 24 |
| PSC-800/32  | 32 | 25 | 60 | 82 | 800  | 1000 | 35 | 24 |
| PSC-600/38  | 38 | 30 | 63 | 88 | 600  | 800  | 42 | 27 |
| PSC-800/38  | 38 | 30 | 63 | 88 | 800  | 1000 | 42 | 27 |
| PSC-1000/38 | 38 | 30 | 63 | 88 | 1000 | 1200 | 42 | 27 |
| PSC-1200/38 | 38 | 30 | 63 | 88 | 1200 | 1400 | 42 | 27 |
| PSC-1800/50 | 50 | 30 | 67 | 98 | 1800 | 2000 | 42 | 27 |
| PSC-2000/50 | 50 | 30 | 67 | 98 | 2000 | 2200 | 42 | 27 |
| PSC-2200/50 | 50 | 30 | 67 | 98 | 2200 | 2400 | 42 | 27 |
| PSC-2400/50 | 50 | 30 | 67 | 98 | 2400 | 2600 | 42 | 27 |




Stylish Oak PSC fixing



## Stylish Oak PSC3

| CODE         | D  | D* | B  | H  | c/c  | TL   | b  | b1 |
|--------------|----|----|----|----|------|------|----|----|
| PSC3-1000/32 | 32 | 25 | 60 | 82 | 1000 | 1200 | 35 | 24 |
| PSC3-1200/32 | 32 | 25 | 60 | 82 | 1200 | 1400 | 35 | 24 |
| PSC3-1400/32 | 32 | 25 | 60 | 82 | 1400 | 1600 | 35 | 24 |
| PSC3-1600/32 | 32 | 25 | 60 | 82 | 1600 | 1800 | 35 | 24 |
| PSC3-1200/38 | 38 | 30 | 63 | 88 | 1200 | 1400 | 42 | 27 |
| PSC3-1400/38 | 38 | 30 | 63 | 88 | 1400 | 1600 | 42 | 27 |
| PSC3-1600/38 | 38 | 30 | 63 | 88 | 1600 | 1800 | 42 | 27 |
| PSC3-1800/38 | 38 | 30 | 63 | 88 | 1800 | 2000 | 42 | 27 |
| PSC3-2000/38 | 38 | 30 | 63 | 88 | 2000 | 2200 | 42 | 27 |



## Stylish Oak PSC4

| CODE         | D  | D* | B  | H  | c/c  | TL   | b  | b1 |
|--------------|----|----|----|----|------|------|----|----|
| PSC4-1600/32 | 32 | 25 | 60 | 82 | 1600 | 1800 | 35 | 24 |
| PSC4-1800/32 | 32 | 25 | 60 | 82 | 1800 | 2000 | 35 | 24 |
| PSC4-2000/32 | 32 | 25 | 60 | 82 | 2000 | 2200 | 35 | 24 |
| PSC4-2200/32 | 32 | 25 | 60 | 82 | 2200 | 2400 | 35 | 24 |
| PSC4-2400/32 | 32 | 25 | 60 | 82 | 2400 | 2600 | 35 | 24 |
| PSC4-1800/38 | 38 | 30 | 63 | 88 | 1800 | 2000 | 42 | 27 |
| PSC4-2000/38 | 38 | 30 | 63 | 88 | 2000 | 2200 | 42 | 27 |
| PSC4-2200/38 | 38 | 30 | 63 | 88 | 2200 | 2400 | 42 | 27 |
| PSC4-2400/38 | 38 | 30 | 63 | 88 | 2400 | 2600 | 42 | 27 |



Orders are possible with custom c/c and TL mm specification.

# City



PREMIUM (on request)

Stainless steel AISI 316 Powder (ESD)




STANDARD

Stainless steel AISI 304




City SL

| CODE       | D  | D* | B  | H  | a  | c/c  | TL   |
|------------|----|----|----|----|----|------|------|
| SL-600/32  | 32 | 35 | 90 | 82 | 40 | 600  | 800  |
| SL-800/32  | 32 | 35 | 90 | 82 | 40 | 800  | 1000 |
| SL-1000/32 | 32 | 35 | 90 | 82 | 40 | 1000 | 1200 |
| SL-1200/32 | 32 | 35 | 90 | 82 | 40 | 1200 | 1400 |
| SL-1400/32 | 32 | 35 | 90 | 82 | 40 | 1400 | 1600 |
| SL-1600/32 | 32 | 35 | 90 | 82 | 40 | 1600 | 1800 |
| SL-1800/32 | 32 | 35 | 90 | 82 | 40 | 1800 | 2000 |
| SL-600/38  | 38 | 35 | 93 | 88 | 40 | 600  | 800  |
| SL-800/38  | 38 | 35 | 93 | 88 | 40 | 800  | 1000 |
| SL-1000/38 | 38 | 35 | 93 | 88 | 40 | 1000 | 1200 |
| SL-1200/38 | 38 | 35 | 93 | 88 | 40 | 1200 | 1400 |
| SL-1400/38 | 38 | 35 | 93 | 88 | 40 | 1400 | 1600 |
| SL-1600/38 | 38 | 35 | 93 | 88 | 40 | 1600 | 1800 |
| SL-1800/38 | 38 | 35 | 93 | 88 | 40 | 1800 | 2000 |
| SL-2000/38 | 38 | 35 | 93 | 88 | 40 | 2000 | 2200 |
| SL-2200/38 | 38 | 35 | 93 | 88 | 40 | 2200 | 2400 |





City SL3

| CODE        | D  | D* | B  | H  | a  | c/c  | TL   |
|-------------|----|----|----|----|----|------|------|
| SL3-1000/32 | 32 | 35 | 90 | 82 | 40 | 1000 | 1200 |
| SL3-1200/32 | 32 | 35 | 90 | 82 | 40 | 1200 | 1400 |
| SL3-1400/32 | 32 | 35 | 90 | 82 | 40 | 1400 | 1600 |
| SL3-1600/32 | 32 | 35 | 90 | 82 | 40 | 1600 | 1800 |
| SL3-1800/32 | 32 | 35 | 90 | 82 | 40 | 1800 | 2000 |
| SL3-2000/32 | 32 | 35 | 90 | 82 | 40 | 2000 | 2200 |
| SL3-2200/32 | 32 | 35 | 90 | 82 | 40 | 2200 | 2400 |
| SL3-2400/32 | 32 | 35 | 90 | 82 | 40 | 2400 | 2600 |
| SL3-1200/38 | 38 | 35 | 93 | 88 | 40 | 1200 | 1400 |
| SL3-1400/38 | 38 | 35 | 93 | 88 | 40 | 1400 | 1600 |
| SL3-1600/38 | 38 | 35 | 93 | 88 | 40 | 1600 | 1800 |
| SL3-1800/38 | 38 | 35 | 93 | 88 | 40 | 1800 | 2000 |
| SL3-2000/38 | 38 | 35 | 93 | 88 | 40 | 2000 | 2200 |
| SL3-2200/38 | 38 | 35 | 93 | 88 | 40 | 2200 | 2400 |
| SL3-2400/38 | 38 | 35 | 93 | 88 | 40 | 2400 | 2600 |



City SL4

| CODE        | D  | D* | B  | H  | a  | c/c  | TL   |
|-------------|----|----|----|----|----|------|------|
| SL4-1600/32 | 32 | 35 | 90 | 82 | 40 | 1600 | 1800 |
| SL4-1800/32 | 32 | 35 | 90 | 82 | 40 | 1800 | 2000 |
| SL4-2000/32 | 32 | 35 | 90 | 82 | 40 | 2000 | 2200 |
| SL4-2200/32 | 32 | 35 | 90 | 82 | 40 | 2200 | 2400 |
| SL4-2400/32 | 32 | 35 | 90 | 82 | 40 | 2400 | 2600 |
| SL4-1600/38 | 38 | 35 | 93 | 88 | 40 | 1600 | 1800 |
| SL4-1800/38 | 38 | 35 | 93 | 88 | 40 | 1800 | 2000 |
| SL4-2000/38 | 38 | 35 | 93 | 88 | 40 | 2000 | 2200 |
| SL4-2200/38 | 38 | 35 | 93 | 88 | 40 | 2200 | 2400 |
| SL4-2400/38 | 38 | 35 | 93 | 88 | 40 | 2400 | 2600 |




# City Oak

**PREMIUM (on request)**

|          |          |                          |              |
|----------|----------|--------------------------|--------------|
| Oak wood | Oak wood | Stainless steel AISI 316 | Powder (ESD) |
| Brown    | Black    | Polished                 | Brushed      |
|          |          |                          | RAL          |




**STANDARD**

|          |                          |
|----------|--------------------------|
| Oak wood | Stainless steel AISI 304 |
| Natural  | Polished                 |
|          | Brushed                  |



## City Oak PSL


| CODE        | D  | D* | B  | H   | a  | c/c  | TL   |
|-------------|----|----|----|-----|----|------|------|
| PSL-600/32  | 32 | 35 | 90 | 82  | 40 | 600  | 800  |
| PSL-800/32  | 32 | 35 | 90 | 82  | 40 | 800  | 1000 |
| PSL-600/38  | 38 | 35 | 93 | 88  | 40 | 600  | 800  |
| PSL-800/38  | 38 | 35 | 93 | 88  | 40 | 800  | 1000 |
| PSL-1000/38 | 38 | 35 | 93 | 88  | 40 | 1000 | 1200 |
| PSL-1200/38 | 38 | 35 | 93 | 88  | 40 | 1200 | 1400 |
| PSL-1800/50 | 50 | 35 | 99 | 100 | 40 | 1800 | 2000 |
| PSL-2000/50 | 50 | 35 | 99 | 100 | 40 | 2000 | 2200 |
| PSL-2200/50 | 50 | 35 | 99 | 100 | 40 | 2200 | 2400 |
| PSL-2400/50 | 50 | 35 | 99 | 100 | 40 | 2400 | 2600 |



## City Oak PSL3



| CODE         | D  | D* | B  | H  | a  | c/c  | TL   |
|--------------|----|----|----|----|----|------|------|
| PSL3-1000/32 | 32 | 35 | 90 | 82 | 40 | 1000 | 1200 |
| PSL3-1200/32 | 32 | 35 | 90 | 82 | 40 | 1200 | 1400 |
| PSL3-1400/32 | 32 | 35 | 90 | 82 | 40 | 1400 | 1600 |
| PSL3-1600/32 | 32 | 35 | 90 | 82 | 40 | 1600 | 1800 |
| PSL3-1800/32 | 32 | 35 | 90 | 82 | 40 | 1800 | 2000 |
| PSL3-1200/38 | 38 | 35 | 93 | 88 | 40 | 1200 | 1400 |
| PSL3-1400/38 | 38 | 35 | 93 | 88 | 40 | 1400 | 1600 |
| PSL3-1600/38 | 38 | 35 | 93 | 88 | 40 | 1600 | 1800 |
| PSL3-1800/38 | 38 | 35 | 93 | 88 | 40 | 1800 | 2000 |
| PSL3-2000/38 | 38 | 35 | 93 | 88 | 40 | 2000 | 2200 |

$V = d/c \times 2$




## City Oak PSL4

| CODE         | D  | D* | B  | H  | a  | c/c  | TL   |
|--------------|----|----|----|----|----|------|------|
| PSL4-1600/32 | 32 | 35 | 90 | 82 | 40 | 1600 | 1800 |
| PSL4-1800/32 | 32 | 35 | 90 | 82 | 40 | 1800 | 2000 |
| PSL4-2000/32 | 32 | 35 | 90 | 82 | 40 | 2000 | 2200 |
| PSL4-2200/32 | 32 | 35 | 90 | 82 | 40 | 2200 | 2400 |
| PSL4-2400/32 | 32 | 35 | 90 | 82 | 40 | 2400 | 2600 |
| PSL4-1600/38 | 38 | 35 | 93 | 88 | 40 | 1600 | 1800 |
| PSL4-1800/38 | 38 | 35 | 93 | 88 | 40 | 1800 | 2000 |
| PSL4-2000/38 | 38 | 35 | 93 | 88 | 40 | 2000 | 2200 |
| PSL4-2200/38 | 38 | 35 | 93 | 88 | 40 | 2200 | 2400 |
| PSL4-2400/38 | 38 | 35 | 93 | 88 | 40 | 2400 | 2600 |




# City



## City SLK

| CODE        | D  | D* | B  | H  | a  | d  | e | c/c  | TL   |
|-------------|----|----|----|----|----|----|---|------|------|
| SLK-600/32  | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 600  | 800  |
| SLK-800/32  | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 800  | 1000 |
| SLK-1000/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1000 | 1200 |
| SLK-1200/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1200 | 1400 |
| SLK-1400/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1400 | 1600 |
| SLK-1600/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1600 | 1800 |
| SLK-1800/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1800 | 2000 |
| SLK-600/38  | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 600  | 800  |
| SLK-800/38  | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 800  | 1000 |
| SLK-1000/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1000 | 1200 |
| SLK-1200/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1200 | 1400 |
| SLK-1400/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1400 | 1600 |
| SLK-1600/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1600 | 1800 |
| SLK-1800/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1800 | 2000 |
| SLK-2000/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2000 | 2200 |
| SLK-2200/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2200 | 2400 |




## City SLK3

| CODE         | D  | D* | B  | H  | a  | d  | e | c/c  | TL   |
|--------------|----|----|----|----|----|----|---|------|------|
| SLK3-1000/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1000 | 1200 |
| SLK3-1200/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1200 | 1400 |
| SLK3-1400/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1400 | 1600 |
| SLK3-1600/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1600 | 1800 |
| SLK3-1800/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1800 | 2000 |
| SLK3-2000/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 2000 | 2200 |
| SLK3-2200/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 2200 | 2400 |
| SLK3-2400/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 2400 | 2600 |
| SLK3-1200/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1200 | 1400 |
| SLK3-1400/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1400 | 1600 |
| SLK3-1600/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1600 | 1800 |
| SLK3-1800/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1800 | 2000 |
| SLK3-2000/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2000 | 2200 |
| SLK3-2200/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2200 | 2400 |
| SLK3-2400/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2400 | 2600 |


**PREMIUM (on request)**  
Stainless steel AISI 316 Powder (ESD)  
Polished Brushed RAL

**STANDARD**  
Stainless steel AISI 304  
Polished Brushed




## City SLK4

| CODE         | D  | D* | B  | H  | a  | d  | e | c/c  | TL   |
|--------------|----|----|----|----|----|----|---|------|------|
| SLK4-1600/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1600 | 1800 |
| SLK4-1800/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1800 | 2000 |
| SLK4-2000/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 2000 | 2200 |
| SLK4-2200/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 2200 | 2400 |
| SLK4-2400/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 2400 | 2600 |
| SLK4-1600/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1600 | 1800 |
| SLK4-1800/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1800 | 2000 |
| SLK4-2000/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2000 | 2200 |
| SLK4-2200/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2200 | 2400 |
| SLK4-2400/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2400 | 2600 |






# City Oak



## City Oak PSLK

| CODE         | D  | D* | B  | H   | a  | d  | e | c/c  | TL   |
|--------------|----|----|----|-----|----|----|---|------|------|
| PSLK-600/32  | 32 | 40 | 80 | 82  | 25 | 22 | 6 | 600  | 800  |
| PSLK-800/32  | 32 | 40 | 80 | 82  | 25 | 22 | 6 | 800  | 1000 |
| PSLK-600/38  | 38 | 40 | 83 | 88  | 25 | 22 | 6 | 600  | 800  |
| PSLK-800/38  | 38 | 40 | 83 | 88  | 25 | 22 | 6 | 800  | 1000 |
| PSLK-1000/38 | 38 | 40 | 83 | 88  | 25 | 22 | 6 | 1000 | 1200 |
| PSLK-1200/38 | 38 | 40 | 83 | 88  | 25 | 22 | 6 | 1200 | 1400 |
| PSLK-1800/50 | 50 | 40 | 89 | 100 | 25 | 22 | 6 | 1800 | 2000 |
| PSLK-2000/50 | 50 | 40 | 89 | 100 | 25 | 22 | 6 | 2000 | 2200 |
| PSLK-2000/50 | 50 | 40 | 89 | 100 | 25 | 22 | 6 | 2000 | 2200 |
| PSLK-2200/50 | 50 | 40 | 89 | 100 | 25 | 22 | 6 | 2200 | 2400 |
| PSLK-2400/50 | 50 | 40 | 89 | 100 | 25 | 22 | 6 | 2400 | 2600 |



## City Oak PSLK3

| CODE          | D  | D* | B  | H  | a  | d  | e | c/c  | TL   |
|---------------|----|----|----|----|----|----|---|------|------|
| PSLK3-1000/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1000 | 1200 |
| PSLK3-1200/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1200 | 1400 |
| PSLK3-1400/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1400 | 1600 |
| PSLK3-1600/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1600 | 1800 |
| PSLK3-1800/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1800 | 2000 |
| PSLK3-1200/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1200 | 1400 |
| PSLK3-1400/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1400 | 1600 |
| PSLK3-1600/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1600 | 1800 |
| PSLK3-1800/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1800 | 2000 |
| PSLK3-2000/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2000 | 2200 |



**PREMIUM (on request)**


Oak wood   Oak wood   Stainless steel AISI 316   Powder (ESD)

Brown   Black   Polished   Brushed   RAL

**STANDARD**


Oak wood   Stainless steel AISI 304

Natural   Polished   Brushed



## City Oak PSLK4

| CODE          | D  | D* | B  | H  | a  | d  | e | c/c  | TL   |
|---------------|----|----|----|----|----|----|---|------|------|
| PSLK4-1600/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1600 | 1800 |
| PSLK4-1800/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 1800 | 2000 |
| PSLK4-2000/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 2000 | 2200 |
| PSLK4-2200/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 2200 | 2400 |
| PSLK4-2400/32 | 32 | 40 | 80 | 82 | 25 | 22 | 6 | 2400 | 2600 |
| PSLK4-1600/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1600 | 1800 |
| PSLK4-1800/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 1800 | 2000 |
| PSLK4-2000/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2000 | 2200 |
| PSLK4-2200/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2200 | 2400 |
| PSLK4-2400/38 | 38 | 40 | 83 | 88 | 25 | 22 | 6 | 2400 | 2600 |



# Majestic

PREMIUM (on request)

|                                                                                    |                                                                                    |                                                                                    |                                                                                    |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Oak wood                                                                           | Oak wood                                                                           | Stainless steel AISI 316                                                           | Powder (ESD)                                                                       |
|  |  |  |  |
| Brown                                                                              | Black                                                                              | Polished                                                                           | Brushed                                                                            |

RAL 


STANDARD

|                                                                                    |                                                                                    |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Oak wood                                                                           | Stainless steel AISI 304                                                           |
|  |  |
| Natural                                                                            | Polished                                                                           |

Brushed 


## Majestic PRLF

| CODE         | D  | H   | c/c  | TL   | a  | b  | c  | d  | e |
|--------------|----|-----|------|------|----|----|----|----|---|
| PRLF-2000/50 | 50 | 100 | 2000 | 2040 | 40 | 60 | 20 | 35 | 8 |
| PRLF-2200/50 | 50 | 100 | 2200 | 2240 | 40 | 60 | 20 | 35 | 8 |
| PRLF-2400/50 | 50 | 100 | 2400 | 2440 | 40 | 60 | 20 | 35 | 8 |



## Majestic PQLF

| CODE         | W  | P  | H   | c/c  | TL   | a  | b  | c  | d  | e |
|--------------|----|----|-----|------|------|----|----|----|----|---|
| PQLF-2000/50 | 50 | 50 | 100 | 2000 | 2040 | 40 | 60 | 20 | 35 | 8 |
| PQLF-2200/50 | 50 | 50 | 100 | 2200 | 2240 | 40 | 60 | 20 | 35 | 8 |
| PQLF-2400/50 | 50 | 50 | 100 | 2400 | 2440 | 40 | 60 | 20 | 35 | 8 |



# Majestic

**PREMIUM (on request)**

|                                                                                    |                                                                                    |                                                                                    |                                                                                    |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Oak wood                                                                           | Oak wood                                                                           | Stainless steel AISI 316                                                           | Powder (ESD)                                                                       |
|  |  |  |  |
| Brown                                                                              | Black                                                                              | Polished                                                                           | Brushed                                                                            |

RAL 


**STANDARD**

|                                                                                    |                                                                                    |
|------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|
| Oak wood                                                                           | Stainless steel AISI 304                                                           |
|  |  |
| Natural                                                                            | Polished                                                                           |

Brushed 


## Majestic PRLS

| CODE         | D  | D* | H  | c/c  | TL   |
|--------------|----|----|----|------|------|
| PRLS-2000/50 | 50 | 30 | 90 | 2000 | 2040 |
| PRLS-2200/50 | 50 | 30 | 90 | 2200 | 2240 |
| PRLS-2400/50 | 50 | 30 | 90 | 2400 | 2440 |



## Majestic PQLS

| CODE         | W  | P  | D* | H  | c/c  | TL   |
|--------------|----|----|----|----|------|------|
| PQLS-2000/50 | 50 | 50 | 30 | 90 | 2000 | 2040 |
| PQLS-2200/50 | 50 | 50 | 30 | 90 | 2200 | 2240 |
| PQLS-2400/50 | 50 | 50 | 30 | 90 | 2400 | 2440 |



Orders are possible with custom c/c and TL mm specification.

See page 30 for FIXING options.

Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.

## ORDER SPECIFICATION CODE

Based on the code system here you should be able to specify the handle type, material and finish, and the type of fixing nut you would like suiting to door thickness. **Please specify in a similar way to the following example:**

### Double-sided door handle (pair)

Sample code specification:

**K4-600/25BM5**  
CODE c/c D FIXING FINISH s CODE  
METAL DOOR THICKNESS

### Single-sided door handle (piece)

Sample code specification:

**K4-600/25BM5#**  
CODE c/c D FIXING 1 SIDE OPTION FINISH s CODE  
METAL DOOR THICKNESS

### Single-sided handles (pieces)

= Fixing guide, not through door

# Fixing guide, through door

## METAL & FINISH

Please specify metal or wood finish.

**B** Brushed Stainless Steel

**P** Polished Stainless Steel



RAL Powder coating (ESD)



**C** Polished Brass CuZn



Wood Natural



Wood Brown



Wood Black










## FIXING

Handles are available with a variety of round or hexagonal fixing nuts.

Please specify **M, V, S, O, K, X, A** fixing, based on the table of fixing nuts shown here.

If **M, V** fixing, please specify for Right Hand **RH** or Left Hand **LH** opening doors.




Depending on the choice of fixing nut, the h-height of the fixing nut is added to the H-height of the handle.

## DOOR THICKNESS s min. 5 mm

Please specify length of fixing bolt using the **s CODE** based on the thickness of the door.

Handles are suitable for doors or all materials.

| s DOOR THICKNESS | s CODE |
|------------------|--------|
| 5 – 25 mm        | 1      |
| 25 – 40 mm       | 2      |
| 40 – 55 mm       | 3      |
| 55 – 70 mm       | 4      |
| 70 – 85 mm       | 5      |
| 85 – 100 mm      | 6      |



## FLANGE FIXING

Flange **F, FD**

Double-sided door handle (pair) Sample code specification:


**K4-600/25BFDN** mm  
CODE c/c D FIXING FINISH DOOR THICKNESS  
METAL

Single-sided door handle (piece) Sample code specification:

**K4-600/25BFDN=**  
CODE c/c D FIXING 1 SIDE OPTION FINISH  
METAL

**N** (Nut) Flange nut


**H** (Hidden) Flange screw



# Fixing guides

**Opening diameter drilled for fixing bolt:** Glass door = 12mm. Doors of all other materials = 10mm.  
If not **M, V, S, O, K, X** or **A** fixing, then opening diameter drilled should be made to suit the fixing bolt.

**M or V fixing**




## Double-sided handles (pair)

### M, V Fixing guide

1. Start installation by turning the bolt to fix the external handle to the door.
2. Align the inside handle to allow bolt head to be inserted.
3. Push the inside handle against the door and turn the **set screw** steadily clockwise using the **set screw key**.

**M or V fixing, single-sided, set screw**  
= Not through door




## Single-sided handles (pieces)

### Set screw, Fixing guide

1. Start installation by turning the bolt tightly into the thread nut or furniture nut in the door.
  2. Align the door handle with the bolts.
  3. Push the handle against the door and turn the **set screw** steadily clockwise using the **set screw key**.
- Note: the furniture nut M8 or the thread nut M8 are **not supplied** with the handles.

**S, O, K, X or A fixing**




## Double-sided handles (pair)

### S, O, K, X, A Fixing guide

1. Start installation by turning the bolt to fix the external handle to the door.
2. The screw with the nut (six-facet) must remain inside of the door.
3. Twist the screw so far that it remains 10 mm out from the outer side of the nut.
4. The inside door handle has a left handed thread which attaches to the bolt. Using the **stick screw key** turn the fixing nut steadily clockwise until it is tight.

**S, O, K, X or A fixing, single-sided, stick screw**  
= Not through door




## Single-sided handles (pieces)

### Stick screw, Fixing guide

- NB! In the case of the headless bolt M8, the bolt should be screwed in so that it remains protruding by 30mm.
1. Align the door handle with the bolts.
  2. Push the handle against the door.
  3. The door handle has a left handed thread which attaches to the bolt. Using the **stick screw key** turn the fixing nut steadily clockwise until it is tight.
- Note: the furniture nut M8 or the thread nut M8 are **not supplied** with the handles.


**M, V, S, O, K, X or A fixing**  
# Through door



## Single-sided handles (pieces)

### # Fixing guide

1. Align the door handle with drilled holes.
2. Place bolts to align with handle.
3. The door handle has a right handed thread which attaches to the bolt. Using the **stick screw key** turn the fixing nut steadily clockwise until it is tight.



Please note: Inside door fixing detail Thread Nuts or Furniture Nuts are not supplied by Diamantek. These should be supplied by the door manufacturer.

### QUALITY ASSURANCE

Diamantek offers you a commitment to excellent workmanship with attention to detail and precision manufacturing. Since the year 2000, we have been steadily expanding our range of handle shapes, styles and materials.

The pull handles are fully reliable in the absorption of pressure and tension forces and fixing systems have been well tested.

Installation is easy with standard drilling and screwing techniques.

### SPECIAL ORDERS

In addition to the products in this catalogue, non-standard and custom pull handles are also available to meet clients special requirements.



Diamantek Ltd.

Savimäe 4, Vahi alevik,  
Tartumaa 60534, Estonia

Tel +372 736 2682

diamantek@diamantek.ee

www.diamantek.ee

